

	Fastri	o Floor Stripper		
HMIS	NFPA Personal protective equipment			
Itealth     3       Fire Hazard     0       Reactivity     0				
/ersion Number: 3		Preparation date: 2006-05-24		
	1. PRODUCT ANI	COMPANY IDENTIFICATION		
roduct name:	Fastrip Floor Stripper			
ISDS #: Product code: Recommended use:	MS0200002 4122398, 4122401, 436 Floor stripper. This proc	62447 duct is intended to be diluted prior to use.		
<b>Nanufacturer, importer, supplier:</b> JS Headquarters ohnsonDiversey, Inc. 310 16th St. Sturtevant, Wisconsin 53177-0902 Phone: 1-888-352-2249 ISDS Internet Address: www.johnsondiversey.com	Canadian Headqu JohnsonDiversey 2401 Bristol Circle Oakville, Ontario L Phone: 1-800-668-	Canada, Inc. 6H 6P1		
mergency telephone number:	1-800-851-7145 (Prosa	r); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)		
	2 84748	DS IDENTIFICATION		

FATALI SWAL L

Principle routes of exposure: Eye contact: Skin contact: Inhalation: Ingestion:

Eye contact. Skin contact. Inhalation. Corrosive. Causes permanent eye damage, including blindness. Corrosive. Causes permanent damage . May cause irritation and corrosive effects to nose, throat and respiratory tract. Corrosive. Causes burns to mouth, throat and stomach.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS COMPONENTS
----------------------

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Potassium hydroxide	1310-58-3	5 - 10%	= 214 mg/kg	Not available	Not available
Monoethanolamine	141-43-5	10 - 20%	= 1720 mg/kg	= 1 mL/kg	Not available
Benzyl alcohol	100-51-6	20 - 30%	= 1230 mg/kg	= 2000 mg/kg	= 8.8 mg/L (4h)

4. FIRST AID MEASURES					
Eye contact:	Immediately flush eyes with running water for at least 15-20 minutes, keeping eyelids open. Get medical attention immediately.				
Skin contact:	Flush immediately with plenty of water for at least 15-20 minutes. Get medical attention immediately.				
Inhalation:	If breathing is affected, remove to fresh air. Get medical attention immediately.				
Ingestion:	If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.				
Aggravated Medical Conditions:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.				
5. FIRE-FIGHTING MEASURES					
Suitable extinguishing media:	The product is not flammable. Extinguish fire using agent suitable for surrounding fire				

Suitable extinguishing media:	The product is not flammable. Extinguish fire using agent suitable for surrounding fire .
Specific hazards:	None known.
Unusual hazards:	Corrosive material (See sections 8 and 10).
Specific methods:	No special methods required

#### 5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

# Extinguishing media which must not be used for safety reasons: None.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions:			
Environmental precautions			
and clean-up methods:			

Put on appropriate personal protective equipment (see Section 8.). Use appropriate containment to avoid environmental contamination. Soak up with inert absorbent material. Shovel into suitable container for disposal.

### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF THE REACH OF CHILDREN.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment	
Eye protection:	Chemical splash goggles.
Hand protection:	Chemical resistant gloves
Skin and body protection:	Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures:	Keep away from food, drink and animal feeding stuffs . Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Potassium hydroxide	1310-58-3	2 mg/m <sup>3</sup> (Ceiling)		
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)	15 mg/m <sup>3</sup> (STEL) 6 ppm (STEL) 3 ppm (TWA) 8 mg/m <sup>3</sup> (TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Bulk density:	No information available
pH:	14	Dilution pH:	No information available.
Appearance:	Aqueous solution	Vapor density:	No information available
Color:	Yellow	Evaporation Rate	No information available
Odor:	Slight Solvent	Boiling point/range:	Not determined
Specific gravity:	1.080	Melting point/range:	Not determined
Density:	9.01 lbs/gal	Decomposition temperature:	Not determined
VOC:	17.45% *	Autoignition temperature:	No information available
Flash point:	>200 (°F) >99.3 (°C)	Partition coefficient (n-octanol/	vater): No information available
Solubility:	Soluble	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0 %P

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY					
Stability: Polymerization: Hazardous decomposition products: Materials to avoid:	The product is stable Hazardous polymerization does not occur None reasonably foreseeable. Strong oxidising agents. Strong exothermic reaction with acids .				
	11. TOXICOLOGICAL INFORMATION				

Acute toxicity

Corrosive. Oral LD50 estimated to be >1000 and <5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg

# 11. TOXICOLOGICAL INFORMATION Component Information: See Section 3

Chronic toxicity:

None known

-----

Specific effects Carcinogenic effects: Mutagenic effects: Reproductive toxicity: Target organ effects:

None known None known None known None known

# **12. ECOLOGICAL INFORMATION**

**Environmental Information:** 

When used for its intended purpose this product should not cause adverse effects in the environment .

# 13. DISPOSAL CONSIDERATIONS

# Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations .

# **14. TRANSPORT INFORMATION**

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

# **15. REGULATORY INFORMATION**

# International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

# U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

# STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Potassium hydroxide	1310-58-3	Х	Х	-	Х
Monoethanolamine	141-43-5	Х	Х	Х	Х
Water	7732-18-5	-	-	-	-
Benzyl alcohol	100-51-6	Х	-	Х	-
Hexyloxyethanol	112-25-4	-	-	-	-
Potassium tallate	61790-44-1	-	-	-	-

# CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Potassium hydroxide	1310-58-3	5 - 10%	1000		
Hexyloxyethanol	112-25-4	10 - 20%			Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Hexyloxyethanol	Х		

# SARA 311/312 Hazard Categories

Immediate:	Y
Delayed:	Ν
Fire:	Ν
Reactivity:	Ν
Sudden Release of Pressure:	Ν

Canada

WHMIS hazard class: E Corrosive material .



# 16. OTHER INFORMATION

Reason for revision: Prepared by: Not applicable NAPRAC Additional advice:

None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

**16. OTHER INFORMATION**